

Steam control in percentage BakeSTEAM

Overlap option



Easy 10T Manual

Electrical Supply

CODE: 925813120

Trays	10T GN1/1 - 10T 60x40 cm		
Outside dimension	850 L x 915 P x 1150 H mm		
Tray distance	80 mm		
Power	16 kW		
Weight	110 Kg		
Max temperature	270° C		
Power supply	400 V ~ 3PH + N + PE 400 V ~ 2PH + N + PE 230 V ~ 3PH + PE 230 V ~ 1PH + N + PE 50-60 Hz		
Equipment			
BakeAIR multi-fan system Two fan speeds	Double low emissive glass Three cooking modes	High-performance thermal insulation Rounded baking chamber	

CE Certificate

EAC certification

Two fan speeds Modularity Manual mode Openable inner glass for easy cleaning **Options**


Left door opening





Easy 10T Manual

Electrical Supply



2 - Manopola temp. - Temp. knob - Poignée de la temp. - Mando de la temp.
3 - Manopola Umidità - Humidity knob - Poignée de l'humidité - Mando humedad 660 520,5 E 1040 F (A 710 B (D) (\mathbf{C}) ä M 55 20 327 20 425 810

Legend

- A Drain liquid Ø 30mm
- B Equipotential terminal comb
- C Electric supply
- D Water inlet 3/4"
- E Extracting hood supply
- F Steam exhaust Ø 50mm






PROFESSIONAL OVENS - EASY CONVECTION OVENS


Easy 10T Manual

Electrical Supply

Supply and Connections



Packaging



Packing size:	920 L x 1000 P x 1300 H mm
Net weight:	110 Kg
Gross weight:	130 Kg

