



Snack 3T Digital

CODE: 925903140

Trays	3T 60x40 cm
Outside dimension	830 L x 830 P x 487 H mm
Tray distance	75 mm
Power	3,6 kW
Weight	45 Kg
Max temperature	270° C
Power supply	400 V ~ 3PH + N + PE 230 V ~ 3PH + PE 230 V ~ 1PH + N + PE 50-60 Hz

Equipment

BakeAIR multi-fan system Three cooking modes Supply cable 1,5 mt / ø 3x1,5 mm lenght

Steam control in percentage BakeSTEAM Manual mode Automatic preheating Double low emissive glass Rounded baking chamber CE Certificate

Automatic control of the cooking level and load ETL / NSF certification Automatic detection and errors report High-performance thermal insulation Modularity Automatic control of dry/steam balance inside the chamber Manual steam injection EAC certification Overlap option






PROFESSIONAL OVENS - SNACK CONVECTION OVENS

Snack 3T Digital

Electrical Supply



Legend

- A Electric supply
- B Water inlet 3/4"
- C Steam exhaust Ø 30mm






PROFESSIONAL OVENS - SNACK CONVECTION OVENS


Snack 3T Digital

Electrical Supply

Supply and Connections



Packaging



Packing size:	900 L x 900 P x 640 H mm
Net weight:	45 Kg
Gross weight:	55 Kg

